

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	17716	manag\$5 adj system with (computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 15:44
S2	18633	manag\$5 adj system with (computer router proxy firewall)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 15:44
S3	10405	manag\$5 adj system with (computer router proxy firewall) and (GUI Interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 15:44
S4	8490	manag\$5 adj system with (computer router proxy firewall) and (GUI Interface) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 15:45
S5	6358	manag\$5 adj system with (computer router proxy firewall) and (GUI Interface) and network and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 15:45
S6	236	manag\$5 adj system with (computer router proxy firewall) and (GUI Interface) and network and database and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:38
S7	236	manag\$5 adj system with (computer router proxy firewall) and (GUI Interface ((configurat\$3 (set\$4 adj up)) adj (tool))) and network and database and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:40
S8	11	manag\$5 adj system with (computer router proxy firewall) and ( ((configurat\$3 (set\$4 adj up)) adj (tool GUI Interface))) and network and database and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:42

S9	113	((configurat\$3 (set\$4 adj up)) adj (tool GUI Interface)) and network and database and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:44
S10	0	remote near5 ((configurat\$3 (set\$4 adj up)) adj (tool GUI Interface)) and network and database and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:44
S11	0	remot\$3 near5 ((configurat\$3 (set\$4 adj up)) adj (tool GUI Interface)) and network and database and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:44
S12	40	((configurat\$3 (set\$4 adj up)) adj (tool GUI Interface)) and network and database and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6)) and (firewall proxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 19:30
S13	134	((configurat\$3 administrat\$3 (set\$4 adj up)) adj (tool GUI Interface)) and network and database and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6)) and (firewall proxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 19:31
S14	7	((configurat\$3 administrat\$3 (set\$4 adj up)) adj (tool GUI Interface)) with (firewall proxy) and network and database and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 19:31
S15	7	((configurat\$3 administrat\$3 (set\$4 adj up)) adj (tool GUI Interface software program)) with (firewall proxy) and network and database and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 19:31

S16	8	((configurat\$3 administrat\$3 (set\$4 adj up)) adj (tool GUI Interface software program)) with (firewall proxy router) and network and database and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 19:37
S17	90	((configurat\$3 administrat\$3 (set\$4 adj up)) with (tool GUI Interface software program)) with (firewall proxy router) and network and database and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 19:51
S18	231	((configurat\$3 administrat\$3 (set\$4 adj up) user) with (tool GUI Interface software program)) with (firewall proxy router) and network and database and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 20:00
S19	175	((user) with (tool GUI Interface software program)) with (firewall proxy router) and network and database and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 19:52
S20	42	((user) with (tool GUI Interface software program)) with (control\$4 configur\$3) with (firewall proxy router) and network and database and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 19:52
S21	303	((configurat\$3 administrat\$3 (set\$4 adj up) user) near\$3 (tool GUI Interface software program)) and Network adj management and (firewall proxy router) and database and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 20:01

S22	336	((configurat\$3 administrat\$3 (set\$4 adj up) user) near5 (tool GUI Interface software program)) and Network adj management and (firewall proxy router) and database and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 20:05
S23	241	S21 not S20 not S18 not S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 20:04
S24	16	((configurat\$3 administrat\$3 (set\$4 adj up) user) near5 (tool GUI Interface software program)) and remote adj Network adj management and (firewall proxy router) and database and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 20:07
S25	2	("6212558").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:22
S26	5458	709/219-221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 17:23
S27	3117	709/219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 17:23
S28	1756	709/220.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 17:23
S29	887	709/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 17:46

S30	3990	S26 and @ay <= "2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 17:24
S31	2928	S26 and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 17:46
S32	125	S31 and ((configurat\$3 administrat\$3 (set\$4 adj up) user) near5 (tool GUI Interface software program)) and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6) or VPN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 17:36
S33	186	S30 and ((configurat\$3 administrat\$3 (set\$4 adj up) user) near5 (tool GUI Interface software program)) and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6) or VPN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 17:36
S34	3841	709/223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 17:46
S35	87	S34 and @ay <= "2000" and ((configurat\$3 administrat\$3 (set\$4 adj up) user) near5 (tool GUI Interface software program)) and (( encod\$3 private encrypt\$3 encapsulat\$3 encipher\$3) adj (link connect\$3 conduit communicat\$3 pipe transmi\$6) or VPN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 18:23
S36	173	S33 not S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 18:25
S37	173	S36 not S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 18:24

S39	74	S35 not S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 17:22
S40	5769	network same conduit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 17:23
S41	3636	network same conduit and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 17:24
S42	12	network same conduit and @ay <="2000" and 713/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 17:24
S43	45	network same conduit and @ay <="2000" and "713"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 17:26
S44	3355	network same conduit and @ay <="2000" not (SSL encrypt\$3 encipher\$3 encapsulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 20:51
S45	3355	network same conduit not (SSL encrypt\$3 encipher\$3 encapsulat\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 17:27